

GREASE COMPATIBILITY

GREASE THICKENER	Calcium Sulphonate	Lithium	Lithium Complex	Aluminum Complex	Calcium Complex	Barium	Sodium	Bentone	Silica Gel	Polyurea
Calcium Sulphonate (MOV Long Life)	-	FC	FC	NC	FC	SC	NC	NC	SC	SC
Lithium	FC	-	FC	NC	FC	SC	NC	NC	FC	SC
Lithium Complex	FC	FC	-	NC	FC	SC	NC	NC	FC	SC
Aluminum Complex	NC	NC	NC	-	NC	NC	SC	NC	FC	NC
Calcium Complex	FC	FC	FC	NC	-	SC	NC	NC	NC	SC
Barium	SC	SC	SC	NC	SC	-	NC	NC	FC	?
Sodium	NC	NC	NC	SC	NC	NC	-	NC	NC	NC
Bentone	NC	NC	NC	NC	NC	NC	NC	-	FC	NC
Silica Gel	SC	FC	FC	FC	NC	FC	NC	FC	-	?
Polyurea	SC	SC	SC	NC	SC	?	NC	NC	?	-

Legend:

FC - Fully compatible.

SC - Somewhat compatible - mixtures soften; but, remains grease like.

NC - Not compatible - mixtures soften severely and do not remain grease like.